

A decorative collage of educational and scientific icons is positioned on the left side of the slide. It includes a yellow triangle ruler, a red and green horseshoe magnet, a glowing red lightbulb, a black graduation cap with a yellow tassel, a blue Erlenmeyer flask containing blue liquid with bubbles, and a molecular model composed of red and purple spheres connected by grey lines.

2024

UpToDate、The Cochrane Library等
循证医学数据库检索技巧

主要内容 |

01

循证医学概述

02

UpToDate

03

The Cochrane Library




01 循证医学概述

Evidence-based medicine, EBM



01 | 循证医学的定义



“Evidence-based medicine is the integration of best research evidence with clinical expertise and patient values””

--David Sackett

“慎重、准确、明智地应用所能获得的最好研究证据来确定个体病人的诊治方案。实施EBM意味着医生需综合参考**当前最佳**研究证据、临床经验和病人意见进行实践。”



“临床实践需结合临床医生个人经验、患者意愿和来自系统化评价和合成的研究证据。”

-- Guyatt GH

三要素：

当前最佳的研究证据 → 系统化评价和合成的研究证据
医务工作者的临床经验
患者的意愿及价值观



临床循证过程：“5A”

- 提出临床问题 (Acquire clinic question)
- 获取最佳证据 (Acquire best evidence)
- 评价证据 (Appraise evidence)
- 应用证据 (Apply evidence)
- 后效评估 (Assess effect)



PICO原则

P: patient/participant 患者或问题

I : intervention 干预措施

C: comparison 对比措施

O: outcome 结局指标



2001年美国纽约州立大学医学中心（Medical Center of State university of New York）提出证据金字塔（the evidence pyramid），首次将动物研究和体外研究纳入证据分级系统，拓展了证据范畴，该分级方式简洁、直观，得到广泛传播。





临床问题	最佳研究设计
病因学与不良反应问题	队列研究 → 病例对照 → 病例报告
诊断问题	诊断性试验研究（横断面研究），与金标准盲法比较
治疗问题	RCT随机对照试验 → CCT半随机对照 → 病例报告
预后问题	队列研究 → 病例对照 → 病例报告



PICOS原则

P: patient/participant 患者或问题

I : intervention 干预措施

C: comparison 对比措施

O: outcome 结局指标

S: study design 研究设计



病因问题——PECO

P: patient/participant 患者或问题


E: exposure 暴露因素

C: comparison 对比措施

O: outcome 结局指标



“6S”证据金字塔模型



Dicenso A, Bayley L, Haynes RB. Accessing pre-appraised evidence: fine-tuning the 5S model into a 6S model. Evid Based Nurs. 2009 Oct;12(4):99-101.

自上而下



Studies 原始研究

直接在患者中进行的有关于病因、预防、诊断、治疗及预后等面向的单个研究。





Synopses of studies 原始研究摘要

原始研究摘要是根据严格的评价标准从有关期刊中筛选出好的论文及有价值的研究后，所撰写出来的结构式摘要或评述。一般发表在循证医学期刊上。

美国内科医师学会《ACP Journal Club》（1991-2008）

<https://www.acpj.org>

《Evidence-based medicine》等期刊

<https://ebm.bmj.com/>



Syntheses 系统评价

又称为系统综述，是针对某一具体临床问题，系统、全面地收集所有已发表或未发表的研究，采用临床流行病学的原则和方法对研究进行严格的评价、筛选出符合纳入标准的研究，进行定性或定量合成，从而得出可靠的结论。

The Cochrane Library 考克兰图书馆

<https://www.cochranelibrary.com/>



Synopses of Syntheses 系统评价摘要

系统评价摘要是对高质量的系统评价进行严格筛选评价后撰写出来的大纲式摘要。

美国内科医师学会《ACP Journal Club》（1991-2008）

<https://www.acpj.org>

《Evidence-based medicine》等期刊

<https://ebm.bmj.com/>

Cochrane效果评价文摘库

(Database of Abstracts of Reviews of Effectiveness , DARE)

<https://www.crd.york.ac.uk/>



Summaries 综合证据

★临床实践指南

针对患者特定的临床问题，基于系统评价形成的证据，并对各种备选干预方式进行全面的利弊平衡分析后提出的最优指导意见。

NICE 英国国家卫生与临床优化研究所 <https://guidance.nice.org.uk>


SIGN 苏格兰校际指南网络 <https://www.sign.ac.uk/>

UpToDate <https://www.uptodate.com/contents/search>

BMJ Best Practice <https://bestpractice.bmj.com/>



“6S”证据金字塔模型



Dicenso A, Bayley L, Haynes RB. Accessing pre-appraised evidence: fine-tuning the 5S model into a 6S model. Evid Based Nurs. 2009 Oct;12(4):99-101.

自上而下



01 | 如何进入数据库

进入北京大学口腔医院官网<https://ss.bjmu.edu.cn/>
点击右上角【图书馆】
【电子资源】→【数据库】

北京大学口腔医学院 口腔医院
Peking University School and Hospital of Stomatology

国家口腔医学中心
NATIONAL CENTER OF STOMATOLOGY

首页 医院概况 新闻动态 就医指南 医疗团队 护理团队 教育教学 科学研究 党建工作 健康知识 招聘专栏

北京大学口腔医院三亚分院 获批建设国家区域医疗中心

北京大学口腔医院
PEKING UNIVERSITY HOSPITAL OF STOMATOLOGY

就医指南

就诊攻略 院外门诊 科室总览 专家介绍 出诊信息 就诊攻略

北京大学口腔医学院 口腔医院
Peking University School and Hospital of Stomatology

首页 医院概况 新闻动态 就医指南 医疗团队 护理团队 教育教学 科学

您所在的位置：首页 >> 图书馆

图书馆环境

通知公告

- 图书馆系列讲座 2022/09/30
- 2022暑假开馆时间 2022/07/11
- 图书馆系列讲座 2022/04/01
- 2021-2022寒假开馆时间 2022/01/17
- 更新：关于中医医学期刊全文数据库 2021/12/07

本馆概况

本馆介绍 入馆须知
开馆时间 借阅规则

电子资源

精英电子书 数据库
电子期刊 中华医学期刊
事实数据 迈特思创
EBSCO口腔



01 |

北京大学医学图书馆 电子资源平台

[图书馆主页](#)搜资源库：

语种：中文 外文

首字母： A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

文献类型：期刊 图书 学位论文 会议论文/科技报告 循证医学 事实数据 多媒体 考试/培训/课件 光盘数据库 其他

揭示层次：全文 文摘索引 引文信息

展开更多

排序：名称 [访问量↓](#)

159 个



中文数据库

1 【置顶】中华医学期刊全文库

2 【置顶】北医搜索

3 中国知网(CNKI)资源总库

4 万方数据知识服务平台

5 维普中文科技期刊数据库

6 中国生物医学文献服务系统(SinoMed)

7 北京大学医学部学位论文系统

8 读秀中文学术搜索

外文数据库

1 【置顶】Scopus数据库

2 【置顶】北医搜索

3 PubMed数据库

4 Web of Science

5 clinicalkey

6 Elsevier ScienceDirect

7 UpToDate数据库

8 Embase数据库



01 | 如何进入数据库

【文献类型】→【循证医学】

搜资源库: 🔍

语种: 中文 外文

首字母: A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

文献类型: 期刊 图书 学位论文 会议论文/科技报告 **循证医学** 事实数据 多媒体 考试/培训/课件 光盘数据库 其他

揭示层次: 全文 文摘索引 引文信息

排序: 名称 **访问量↓** 展开更多 3个 grid icon list icon grid icon

中文数据库		外文数据库	
1	UpToDate数据库	2	The Cochrane Library
3	Best Practice		



02 UpToDate

基于循证医学原则的临床支持系统



UpToDate 临床顾问

北京大学医学部

专题分类 诊疗实践更新 重要更新 患者教育 登录

搜索 UpToDate

Important Information

COVID-19
COVID-19 Homepage
COVID-19 Questions and Answers

Monkeypox
Epidemiology, clinical manifestations, and diagnosis of monkeypox
Treatment and prevention of monkeypox



<https://www.uptodate.com/contents/search>



02 | 检索

牙周炎

所有专题 成人 儿童 患者 图表

显示与相关的结果 **Periodontitis (Periodontal disease)**

成人牙龈炎和牙周炎概述

牙源性感染的并发症、诊断和治疗

儿童及青少年牙龈炎和牙周炎概述

儿童牙周病：相关的全身疾病

牙源性感染的流行病学、发病机制和临床表现

舒缓医疗：临终口腔保健概述

原发性吞噬细胞数量和/或功能缺陷概述

Infection with less common Campylobacter species and related bacteria

返回 所有专题 成人 儿童 患者 图表

显示与相关的结果 **Periodontitis (Periodontal disease)**

Antimicrobial regimens for the prevention of dental caries and the treatment of periodontal disease in adults

Structure of the tooth

Periodontitis

Gingivitis

Localized severe periodontitis

Necrotizing periodontitis

Neutropenia-associated periodontitis

Gingivitis and periodontitis



< 返回

牙周炎

查找



专题提纲

总结与推荐

引言

定义

流行病学及其他病症的关系

临床表现

菌斑相关性(最常见的类型)牙龈炎和牙周炎

发病机制

菌斑相关性牙龈炎和牙周炎的预防

菌斑相关性牙龈炎和牙周炎的治疗

牙龈炎和牙周炎的其他原因

种植体周围病(黏膜炎和种植体周围炎)

坏死性牙周病

非菌斑相关性牙龈炎和牙龈疾病

其他牙周病症

总结与推荐

参考文献

成人牙龈炎和牙周炎概述

View in language ▾

Authors: Rebecca S Wilder, BSDH, MS, Antonio J Moretti, DDS, MS**Section Editor:** Daniel G Deschler, MD, FACS**Deputy Editor:** Lisa Kunins, MD

翻译: 徐屹, 副主任医师, 副教授

Contributor Disclosures

我们的所有专题都会依据新发表的证据和同行评议过程而更新。

文献评审有效期至: 2022-09. | 专题最后更新日期: 2022-08-26.

There is a newer version of this topic available in English. 该主题有一个新的英文版本。

引言

牙周病是累及牙齿支持结构(包括牙龈、牙骨质、牙周韧带和牙槽骨)的常见病, 主要是牙龈炎和牙周炎(图 1)。

本文将介绍牙龈炎、牙周炎和相关疾病, 包括累及牙种植体。牙源性感染的发病机制、临床表现及抗生素治疗详见其他专题。(参见“牙源性感染的流行病学、发病机制和临床表现”和“牙源性感染的并发症、诊断和治疗”)

定义

牙周病包括牙龈炎和牙周炎, 根据牙周韧带和/或牙槽骨是否受累分类(图 1)[1, 2]。

[返回](#)

专题提纲

总结与推荐

引言

定义

流行病学及其他病症的关系

临床表现

菌斑相关性(最常见的类型)牙龈炎和牙周炎

发病机制

菌斑相关性牙龈炎和牙周炎的预防

菌斑相关性牙龈炎和牙周炎的治疗

牙龈炎和牙周炎的其他原因

种植体周围病(黏膜炎和种植体周围炎)

坏死性牙周病

非菌斑相关性牙龈炎和牙龈疾病

其他牙周病症

总结与推荐

参考文献



查看全部

→ 总结与推荐

- 定义 - 牙周病包括牙龈炎和牙周炎，根据是否累及牙槽骨分类(图 1)。(参见上文‘定义’)
- 牙龈炎仅累及牙龈(图片 1)，是一种炎症病变，表现为牙龈红肿和日常刷牙、使用牙线或牙周探诊时出血。健康牙龈组织呈粉红色、有点彩(与橘皮相似)，质韧(图片 2)。
- 牙周炎的特征为牙龈炎症伴支持性结缔组织(包括牙周韧带和牙槽骨)丢失(图 1)。临床表现包括：探诊时牙龈出血、探诊深度增加和牙齿动度增加。
- 临床表现 - 大多数情况下，牙科医生诊断出牙龈炎或牙周炎后，应告知患者的初级保健医生。初级保健医生也可在常规体检时发现牙龈或牙周疾病，并嘱患者去牙科接受进一步评估和治疗。(参见上文‘临床表现’)
- 菌斑相关性牙龈炎和牙周炎：病程和治疗 - 最常见的牙龈炎是细菌生物膜诱发的牙龈炎，仅累及牙龈组织，经治疗可逆转。如不治疗，牙龈炎很可能发展为牙周炎，但进展时间从数周至数年不等。牙周炎通常缓慢进展，有不可预测的短暂快速进展及附着丢失阶段。活动性骨丢失的诱发机制尚未明确，但似乎与优势菌由革兰阳性菌转变成革兰阴性厌氧杆菌有关。(参见上文‘发病机制’)
 - 我们建议通过机械性清洁(在日常刷牙的基础上使用牙线，并定期接受牙科护理)预防牙菌斑相关性牙龈炎和牙周炎(Grade 2C)。日常口腔清洁的目的在于减少龈上和龈下细菌，以免引发或维持炎症。(参见上文‘菌斑相关性牙龈炎和牙周炎的预防’)
 - 牙石必须通过专业手段清除，以促进炎症消退。(参见上文‘菌斑相关性牙龈炎和牙周炎的治疗’)
 - 菌斑相关性牙周炎的主要治疗包括由牙科医生进行牙周清洁(针对龈下生物膜和牙石进行刮治和根面平整)，还应进行细致的日常口腔清洁，包括每日使用氯己定含漱液2次，待能够安全地恢复正常刷牙后(一般是在刮治或手术后2周)，每日刷牙2次(用手动或电动牙刷)、每日使用牙线1次，并酌情戒烟。(参见上文‘菌斑相关性牙龈炎和牙周炎的治疗’)
 - 病情较轻时，除上述治疗外，牙科医生还可能在牙周袋内局部用抗生素，包括多西环素或米诺环素(表 2)。



02 | 检索

< 返回

成人颞下颌关节紊乱病

颞下颌关节紊乱病

查找



- 难治性TMD

作用有限的疗法

预后

患者教育

总结与推荐

致谢

参考文献

图表

查看全部

→ 患者教育

UpToDate提供两种类型的患者教育资料：“基础篇”和“高级篇”。基础篇通俗易懂，相当于5-6年级阅读水平(美国)，可以解答关于某种疾病患者可能想了解的4-5个关键问题；基础篇更适合想了解疾病概况且喜欢阅读简短易读资料的患者。高级篇篇幅较长，内容更深入详尽；相当于10-12年级阅读水平(美国)，适合想深入了解并且能接受一些医学术语的患者。

以下是与此专题相关的患者教育资料。我们建议您以打印或电子邮件的方式给予患者。(您也可以通过检索“患者教育”和关键词找到更多相关专题内容。)

- 基础篇(参见 “患者教育：颞下颌关节疾病(基础篇)”)



02 | 专题分类

UpToDate 临床顾问

专题分类 ▾ 诊疗实践更新 重要更新 患者教育

药物信息

计算器

专科下主题


药物相互作用

搜索 UpToDate

① Important Information

COVID-19
COVID-19 Homepage
COVID-19 Questions and Answers

Monkeypox
Epidemiology, clinical manifestations, and diagnosis of monkeypox
Treatment and prevention of monkeypox





专题分类 → 药物信息 (Drug Information)

General drug information 一般药物信息

International drug information (concise) 国际药物简明信息

Patient drug information 患者用药信息

Pediatric drug information 儿科药物信息

What's new in drug therapy 药物治疗新的变化

Patient Education 患者教育



02 | 专题分类--药物信息

搜索框中直接搜索某种药物，例：氟康唑
(fluconazole)

氟康唑，一种有机化合物，主要用作抗真菌药，对人和动物的真菌感染均有治疗作用。

UpToDate 临床顾问

氟康唑

专题分类 诊疗实践更新 重要更新 患者教育

< 返回 所有专题 成人 儿童 患者 图表

显示与 氟康唑 相关的结果
替代搜寻: Triazoles

假丝酵母菌性外阴道炎的治疗 View in language

... 妊娠应用口服氟康唑组婴儿发生肌肉骨骼畸形的风险增加(校正RR 1.30, 95%CI 1.09-1.56), 但唇腭裂和心脏圆锥动脉干畸形的风险未增加。另外, 随着氟康唑剂量的增加, 婴儿发生肌肉骨骼畸形的风险增加, 但并非所有的风险增加都有统计学意义(氟康唑150mg: 校正RR ...

初始唑类药物治疗
总结与推荐

唑类药物的药理学 View in language

...存在不一致性。氟康唑既有口服制剂、又有静脉给药制剂, 该药亲水性很强, 口服给药后几乎完全吸收; 报道显示其生物利用度超过90%。氟康唑的吸收不受食物或胃pH值的影响。该药还有静脉用制剂, 如果胃肠道吸收或动力受损, 这种制剂有用。给予单剂量氟康唑后, 药物广泛分布至体 ...

药代动力学 > 氟康唑
血药浓度监测 > 氟康唑
总结与推荐

成人食管假丝酵母菌病 View in language

...物。一些确诊假丝酵母菌性食管炎的患者用氟康唑进行初始治疗无效。原因可能是感染病原体为非白色假丝酵母菌菌种, 或者出现了氟康唑耐药。HIV感染者中, 发生耐药的危险因素包括晚期免疫抑制和长期使用唑类药物。对于经验性氟康唑治疗无效的患者, 应在内镜下取样行培养, 评估是否有其他病因。 ...

氟康唑难治性食管炎患者
总结与推荐

新生儿假丝酵母菌感染的治疗 View in language

氟康唑
药物专论
氟康唑
药物剂型
眼用制剂
普通胶囊剂
分散片
颗粒剂
注射剂
片剂



02 | 专题分类--药物信息

⌚ 氟康唑

[中国药物信息](#)

[国外药物信息](#)

[药物专论](#)

[氟康唑](#)

[药物剂型](#)

[眼用制剂](#)

[普通胶囊剂](#)

[分散片](#)

[颗粒剂](#)

[注射剂](#)

[片剂](#)

⌚ 氟康唑

[中国药物信息](#)

[国外药物信息](#)

[药物信息](#)

[Fluconazole: Drug information](#)

[Fluconazole: Pediatric drug information](#)

[Fluconazole: Patient drug information](#)

[Launch drug interactions program →](#)



02 | 专题分类--药物信息

氟康唑

中国药物信息

国外药物信息

药物专论

氟康唑

药物剂型

眼用制剂

普通胶囊剂

分散片

颗粒剂

注射剂

片剂

国外药物信息

氟康唑

麦道氟康 (氟康唑胶囊)

氟康唑胶囊 (常州兰陵) 0.15g
常州兰陵制药有限公司

氟康唑胶囊 (成都倍特) 50mg
成都倍特药业有限公司

氟康唑胶囊 (辅仁药业) 0.15g
辅仁药业集团有限公司

氟康唑胶囊 (辅仁集团) 100mg;
辅仁药业集团有限公司

专题提纲

数据来源： 丁香园

英文名

Fluconazole Capsules

通用名

通用名

商品名

氟康唑胶囊

成份

商品名

适应症

麦道氟康

用法用量

禁忌

不良反应

注意事项

禁 忌

本品主要成分为氟康唑

注意事项

成份

孕妇及哺乳期妇女用药

适应症

儿童用药

本品主要用于以下适应症中病情较重的患者：

老年用药

念珠菌病：用于治疗口咽部和食道念珠菌感染；

药物相互作用

播散性念珠菌病，包括腹膜炎、肺炎、尿路感染等；

毒理研究

念珠菌外阴阴道

贮藏

用法用量

批准文号

口服。成人

是否OTC

生产企业



02 | 专题分类

UpToDate 临床顾问

专题分类 ▼ 诊疗实践更新 重要更新 患者教育

药物信息

计算器

专科下主题

药物相互作用

搜索 UpToDate

① Important Information

COVID-19
COVID-19 Homepage
COVID-19 Questions and Answers

Monkeypox
Epidemiology, clinical manifestations, and diagnosis of monkeypox
Treatment and prevention of monkeypox





02 | 专题分类--计算器

专题分类 ▼ 诊疗实践更新 重要更新 患者教育

< 返回 Calculators

[View By Specialty](#) [List Alphabetically](#)

ALLERGY AND IMMUNOLOGY CALCULATORS

[Medical Equations](#)

[Absolute eosinophil count](#)

[Conventional \(gravimetric, imperial, US\) unit to SI unit conversions: Chemistry and endocrine tests](#)

[Conventional \(gravimetric, imperial, US\) unit to SI unit conversions: Immunology lab values](#)

[SI unit to conventional \(gravimetric, imperial, US\) unit conversions: Chemistry and endocrine tests](#)

[SI unit to conventional \(gravimetric, imperial, US\) unit conversions: Immunology lab values](#)

ANESTHESIOLOGY CALCULATORS

[Clinical Criteria](#)



02 | 专题分类--计算器

Calculator: Body mass index (BMI; Quetelet's index) in adults

Input

Height in

Weight lb

Result

BMI kg/m²

Decimal precision

BMI interpretation

BMI <18.5: Below normal weight
BMI ≥18.5 and <25: Normal weight
BMI ≥25 and <30: Overweight
BMI ≥30 and <35: Class I Obesity
BMI ≥35 and <40: Class II Obesity
BMI ≥40: Class III Obesity

Calculator: WHO assessment of malnutrition in females 0 to 2 years old

Input

Age mo

Length cm

Weight kg

Results

Z-score length

Z-score weight for length

Length percentile

Weight for length percentile

Decimal precision

Assessment of linear growth

Z-score >-2: No stunting

Z-score >-3 and ≤-2: Moderate stunting

Z-score ≤-3: Severe stunting

Assessment of weight for length

Z-score >-2: No wasting

Z-score >-3 and ≤-2: Moderate wasting

Z-score ≤-3: Severe wasting



02 | 专题分类

UpToDate 临床顾问

专题分类 ▼ 诊疗实践更新 重要更新 患者教育


药物信息
计算器
专科下主题
药物相互作用

搜索 UpToDate 

 **Important Information**

COVID-19
[COVID-19 Homepage](#)
[COVID-19 Questions and Answers](#)

Monkeypox
[Epidemiology, clinical manifestations, and diagnosis of monkeypox](#)
[Treatment and prevention of monkeypox](#)





02 | 专题分类--专科下主题

Allergy and Immunology

Anesthesiology

Cardiovascular Medicine

Dermatology

Emergency Medicine (Adult and Pediatric)

Endocrinology and Diabetes

Family Medicine and General Practice

Gastroenterology and Hepatology

General Surgery

Geriatrics

Hematology

Hospital Medicine

Infectious Diseases

Nephrology and Hypertension

Neurology

Obstetrics, Gynecology and Women's Health

Oncology

Palliative Care

Pediatrics

Primary Care (Adult)

Primary Care Sports Medicine (Adolescents and Adults)

Psychiatry

Pulmonary and Critical Care Medicine

Rheumatology

Sleep Medicine



02 | 专题分类

UpToDate 临床顾问

专题分类 ▼ 诊疗实践更新 重要更新 患者教育

药物信息
计算器
专科下主题
药物相互作用

搜索 UpToDate 

 **Important Information**

COVID-19
COVID-19 Homepage
COVID-19 Questions and Answers

Monkeypox
Epidemiology, clinical manifestations, and diagnosis of monkeypox
Treatment and prevention of monkeypox





02 | 专题分类--药物相互作用

UpToDate®

Lexicomp® Drug Interactions

Add items to your list by searching below.

Enter item name

ITEM LIST

Clear List Analyze

NOTE: This tool does not address chemical compatibility related to I.V. drug preparation or administration.

© 2023 UpToDate, Inc. and/or its affiliates. All Rights Reserved.



02 | 专题分类--药物相互作用

X	Avoid combination	C	Monitor therapy	A	No known interaction
D	Consider therapy modification	B	No action needed	More about Risk Ratings ▾	
X	避免组合 数据表明指定的药物可能以临幊上显着的方式相互作用。伴随使用这些药物相关的风险通常大于益处。通常应避免同时使用这些代理。	X	Avoid Combination Data demonstrate that the specified agents may interact with each other in a clinically significant manner. The risks associated with concomitant use of these agents usually outweigh the benefits. Concurrent use of these agents should generally be avoided.		
D	考虑治疗修改 数据表明，这两种药物可能以具有临幊意义的方式相互作用。必须进行患者特异性评估，以确定伴随治疗的益处是否超过风险。必须采取具体行动，以实现伴随使用药剂所带来的好处和/或最大限度地降低风险。这些行动可能包括积极的监测、经验性剂量变化或选择替代药物。	D	Consider Therapy Modification Data demonstrate that the two medications may interact with each other in a clinically significant manner. A patient-specific assessment must be conducted to determine whether the benefits of concomitant therapy outweigh the risks. Specific actions must be taken in order to realize the benefits and/or minimize the risks resulting from concomitant use of the agents. These actions may include aggressive monitoring, empiric dosage changes, or choosing alternative agents.		
C	监测治疗 数据表明，指定的药物可能以具有临幊意义的方式相互作用。同时使用这两种药物的益处往往大于风险。应实施适当的监测计划，以查明潜在的负面影响。对于某些患者，可能需要调整一种或两种药物的剂量。	C	Monitor Therapy Data demonstrate that the specified agents may interact with each other in a clinically significant manner. The benefits of concomitant use of these two medications often outweigh the risks. An appropriate monitoring plan should be implemented to identify potential negative effects. Dosage adjustments of one or both agents may be needed in some patients.		
B	无需 采取行动数据表明指定的药物可能相互作用，但几乎没有证据表明伴随使用会引起临幊关注。	B	No Action Needed Data demonstrate that the specified agents may interact with each other, but there is little to no evidence of clinical concern resulting from their concomitant use.		
—	没有已知的相互作用 数据没有证明指定药物之间的药效学或药代动力学相互作用	A	No Known Interaction Data have not demonstrated either pharmacodynamic or pharmacokinetic interactions between the specified agents		



02 | 专题分类--药物相互作用

Ciclosporin

Ciclosporin (Ophthalmic) (INT)

Ciclosporin (systemic) (INT)

Enter item name

ITEM LIST

Clear List **Analyze**

- Fluconazole
- PredniSONE
- Alcohol (Ethyl)
- Cefminox
- Lycopene

INT: International generic or brand name (non-US, non-Canada)

NOTE: This tool does not address chemical compatibility related to I.V. drug preparation or administration.



02 | 专题分类--药物相互作用

Lexicomp® Drug Interactions

Add items to your list by searching below.

Enter item name

ITEM LIST

[Clear List](#) [Analyze](#)

[Fluconazole](#)

[PredniSONE](#)

[Alcohol \(Ethyl\)](#)

[Cefminox](#)

[Lycopene](#)

INT: International generic or brand name (non-US, non-Canada)

NOTE: This tool does not address chemical compatibility related to I.V. drug preparation or administration.

X	Avoid combination	C	Monitor therapy	A	No known interaction
D	Consider therapy modification	B	No action needed	More about Risk Ratings ▾	

2 Results [Filter Results by Item](#) [Print](#)

View interaction detail by clicking on link(s) below.

X [Alcohol \(Ethyl\)](#)
[Cefminox](#)

B [PredniSONE](#)
[Fluconazole \(CYP3A4 Inhibitors \(Moderate\)\)](#)

DISCLAIMER: Readers are advised that decisions regarding drug therapy must be based on the independent judgment of the clinician, changing information about a drug (eg, as reflected in the literature and manufacturer's most current product information), and changing medical practices.



02 | 专题分类--药物相互作用

Title Alcohol (Ethyl) / Cefminox

Print

Risk Rating X: Avoid combination

Summary Cefminox may enhance the adverse/toxic effect of Alcohol (Ethyl). **Severity** Major **Reliability Rating** Fair:
Reported in the prescribing information

Patient Management Use of alcohol should be avoided during treatment with cefminox and for at least one week after completion of cefminox treatment. Note that alcohol may be contained in beverages and pharmaceutical products (eg, elixirs).

Discussion The cefminox labeling cautions that the use of alcohol should be avoided during treatment with cefminox and for at least one week after cefminox treatment is completed.¹ Use of alcohol with cefminox may result in a disulfiram-like reaction (i.e., flushing, palpitations, dizziness, nausea, etc.).¹ Studies in rats found evidence that cefminox, along with other cephalosporins with similar chemical structures, increased blood acetaldehyde concentrations.² Flushing occurred in 5 of 8 healthy subjects after receiving ethanol (0.5 g/kg) following the administration of 3 doses of cefotetan (2 g every 12 hours), a cephalosporin containing a chemical structure similar to that of cefminox.³ Other signs and symptoms of disulfiram-like reactions were noted (eg, changes in heart rate and blood pressure); however, no changes in the pharmacokinetics of alcohol or acetaldehyde were observed.

The mechanism of this potential interaction is uncertain, but it has been proposed that cefminox may inhibit aldehyde dehydrogenase, impairing the metabolism of acetaldehyde generated in the metabolism of alcohol.

Footnotes

1. Meicelin (cefminox) [Japan Pharmaceutical Reference]. Tokyo, Japan: Meiji Seika Kaisha, Ltd.; June 2005.
2. Kamei C, Sugimoto Y, Muroi N, Tasaka K. Effects of various cephem antibiotics on ethanol metabolism and their structure-activity relations. *J Pharm Pharmacol.* 1986;38(11):823-828. [[PubMed 2879012](#)]
3. Kline SS, Mauro VF, Forney RB Jr, Freimer EH, Somani P. Cefotetan-induced disulfiram-type reactions and hypoprothrombinemia. *Antimicrob Agents Chemother.* 1987;31(9):1328-1331. [[PubMed 3479045](#)]



02 | 专题分类--药物相互作用

PubMed.gov

Advanced Search

Save Email Send to Display options

> J Pharm Pharmacol. 1986 Nov;38(11):823-8. doi: 10.1111/j.2042-7158.1986.tb04502.x.

Effects of various cephem antibiotics on ethanol metabolism and their structure-activity relations

C Kamei, Y Sugimoto, N Muroi, K Tasaka

PMID: 2879012 DOI: 10.1111/j.2042-7158.1986.tb04502.x

Abstract

The effects of various cephem antibiotics and related compounds on ethanol metabolism were studied in association with their chemical structures. In rats, cefoperazone, cefbuperazone, cefamandole, latamoxef, cefmetazole, cefotetan, cefmenoxime and cefminox which have the [(1-methyl-1H-tetrazol-5-yl) thio] methyl group at position 3 of the cephem ring caused a significant increase in the blood acetaldehyde concentration. In the last three compounds, disulfiram-like activity was less potent than that evaluated in the preceding compounds. Cefazolin and ceftezole having a 1H-tetrazol group at position 7 also showed a disulfiram-like activity. A single administration of 1H-tetrazol also increased the blood acetaldehyde concentration. Both blood ethanol and acetaldehyde values were increased significantly on administration of these drugs. In beagle dogs, cefoperazone induced a less remarkable but much more sustained increase in the blood acetaldehyde. These results indicate that the 1H-tetrazol group, as well as the [(1-methyl-1H-tetrazol-5-yl) thio] methyl group, is responsible for inducing a disulfiram-like action and that there is a difference in the potency of the disulfiram-like activity among the drugs having a [(1-methyl-1H-tetrazol-5-yl)thio] methyl group at position 3 of the cephem ring in relation to those in which the side chain is substituted at position 7.

Similar articles

[Cephem antibiotics and alcohol metabolism: (1) Disulfiram-like reaction resulting from intravenous administration of cephem antibiotics].
Yanagihara M, Okada K, Nozaki M, Tsurumi K, Fujimura H.
Nihon Yakurigaku Zasshi. 1982 Jun;79(6):551-60.
PMID: 6290355 Japanese.

FULL TEXT LINKS
OXFORD ACADEMIC

ACTIONS
Cite Favorites

SHARE

PAGE NAVIGATION
Title & authors
Abstract
Similar articles
MeSH terms
Substances
Related information
LinkOut - more resources

←全文链接



02 | 专题分类--药物相互作用

ITEM LIST

Clear List Analyze

- [Fluconazole](#)
- [PredniSONE](#)
- [Alcohol \(Ethyl\)](#)
- [Cefminox](#)
- [Lycopene](#)

INT: International generic or brand name (non-US, non-Canada)

NOTE: This tool does not address chemical compatibility related to I.V. drug preparation or administration.

385 Results

View interaction detail by clicking on link(s) below.

X	Fluconazole Abrocitinib
X	Fluconazole (CYP3A4 Inhibitors (Moderate)) Aprepitant
X	Fluconazole Astemizole
X	Fluconazole (CYP3A4 Inhibitors (Moderate)) Asunaprevir
X	Fluconazole Bosentan
X	Fluconazole (CYP3A4 Inhibitors (Moderate)) Bosutinib
X	Fluconazole (CYP3A4 Inhibitors (Moderate)) Budesonide (Topical)
X	Fluconazole Cisapride



★ 常见疾病新认识，跨专科知识速补充

详细罗列临床表现；提供经典的临床表现图片；精确指出疾病病因；总结多种诊断方法；直接指出循证grade分级的治疗方案

★ 成人 儿童

★ 药物相互作用

★ 患者教育



03 The Cochrane Library

被公认为当前最好、最全面的干预性研究系统评价资料库



<https://www.cochranelibrary.com/>

Access provided by: Peking Univ English English Sign in

Title Abstract Keyword

Browse Advanced search

Cochrane Reviews Trials Clinical Answers About Help About Cochrane



Trusted evidence.
Informed decisions.
Better health.

Laser therapy for treating scars [Read the Review](#)

Sexual abuse interventions [Read the Review](#)

Water for wound cleansing [Read the Review](#)

Highlighted Reviews Editorials Special Collections

Splinting for the non-operative management of developmental dysplasia of the hip (DDH) in children under six months of age

Kerry Dwan, Jamie Kirkham, Robin W Paton, Emma Morley, Ashley William Newton, Daniel C Perry

10 October 2022

House modifications for preventing malaria

Tilly Fox, Joanna Furnival-Adams, Marty Chaplin, Mark Napier, Evelyn A Olanga

6 October 2022

Altmetrics for Cochrane Reviews
See trending Reviews from the past week





Trusted evidence.
Informed decisions.
Better health.

Access provided by: Peking Univ

English

English

Sign in

Title Abstract Keyword ▾



Browse

Advanced search

Cochrane Reviews ▾

Trials ▾

Clinical Answers ▾

About ▾

Help ▾

About Cochrane ▾

Search Reviews (CDSR)

Browse Reviews

Issues

Editorials

Special Collections

Supplements

About Cochrane Reviews

guage is Simplified Chinese.

language at the top of any page, and you will see translated Cochrane Review sections in this language. Change to [Simplified Chinese](#).



Sexual abuse interventions
Read the Review



Trusted evidence.
Informed decisions.
Better health.

Access provided by: Peking Univ English English Sign In

All Text * Search icon

Browse Advanced search

Cochrane Reviews Trials Clinical Answers About Help About Cochrane

Filter your results

Date Info icon

Publication date

The last 3 months 107

The last 6 months 184

The last 9 months 282

The last year 372

The last 2 years 828

Custom Range:

9003 Cochrane Reviews matching * in All Text

Cochrane Database of Systematic Reviews
Issue 3 of 12, March 2023

Select all (9003) Export selected citation(s) Show all previews

Order by Publish Date - New To Old Results per page 25

1 Therapeutics for treating mpox in humans
Tilly Fox, Susan Gould, Naveena Princy, Tim Rowland, Vittoria Lutje, Rebecca Kuehn
Intervention Review 1 April 2023
Show PICOs Show preview



03 | Cochrane Reviews

Cochrane Database of Systematic Reviews | Review - Intervention

New search Conclusions changed

Sedation of children undergoing dental treatment

✉ Paul F Ashley, Mohsin Chaudhary, Liege Lourenço-Matharu Authors' declarations of interest

Version published: 17 December 2018 Version history

<https://doi.org/10.1002/14651858.CD003877.pub5>

Collapse all Expand all

Abstract

Available in English | Español | فارسی | Français | 简体中文

Background

Children's fear about dental treatment may lead to behaviour management problems for the dentist, which can be a barrier to the successful dental treatment of children. Sedation can be used to relieve anxiety and manage behaviour in children undergoing dental treatment. There is a need to determine from published research which agents, dosages and regimens are effective. This is the second update of the Cochrane Review first published in 2005 and previously updated in 2012.

Objectives

To evaluate the efficacy and relative efficacy of conscious sedation agents and dosages for behaviour management in paediatric dentistry.

Search methods

Cochrane Oral Health's Information Specialist searched the following databases: Cochrane Oral Health's Trials Register (to 22 February 2018); the Cochrane Central Register of Controlled Trials (CENTRAL; 2018, Issue 1) in the Cochrane Library (searched 22 February 2018); MEDLINE Ovid (1946 to 22 February 2018); and Embase Ovid (1980 to 22 February 2018). The US National Institutes of Health Ongoing Trials Register (ClinicalTrials.gov) and the World Health Organization International Clinical Trials Registry Platform were searched for ongoing trials. No restrictions were placed on the language or date of publication when searching the electronic databases.

Download PDF

Cite this Review



Print



Comment



Share



Follow



AM

score

60

Cited in 1 guideline

Contents

[Abstract](#)

[PICOs](#)

[Plain language summary](#)

[Authors' conclusions](#)

[Summary of findings](#)

[Background](#)

[Objectives](#)

[Methods](#)

[Results](#)

[Discussion](#)

[Appendices](#)

[Figures and tables](#)

[References](#)

[Characteristics of studies](#)

[Data and analyses](#)

[Download statistical data](#)



兼语版概要

Plain language summary

Available in [English](#) | [Deutsch](#) | [Español](#) | [فارسی](#) | [Français](#) | [Hrvatski](#) | [日本語](#) | [Bahasa Malaysia](#) | [Русский](#) |
[简体中文](#)

Sedation of children undergoing dental treatment

Review question

The aim of this Cochrane Review was to find out which drugs used to sedate children during dental treatment were the most effective.

Background

Fear of the dentist may be expressed as unco-operative behaviour in children requiring dental treatment. Behaviour management problems can result in a child's tooth decay going untreated. While behavioural techniques play an important role in managing children, some children still find it difficult to co-operate with dental treatment and may require sedation. This review examined the effects of drugs to sedate a child whilst keeping them conscious.

Study characteristics

Authors from Cochrane Oral Health carried out this review and the evidence is up to date to 22 February 2018. A total of 50 randomised controlled trials were included with a total of 3704 participants. Within these studies 34 different sedatives were used, often with inhalational nitrous oxide as well. Dosages and delivery of these drugs varied widely. We grouped studies into those where drugs were compared to a placebo, where drugs were compared to other drugs or where different dosages of drugs were compared. Because all the studies were so different we could only carry out a meta-analysis for studies comparing oral midazolam to a placebo. The review showed that use of oral midazolam made patients more co-operative for dental treatment than a placebo drug. Where reported, adverse effects were few and minor.

Key results

Oral midazolam probably improves behaviour of children during dental treatment. We evaluated other sedatives but there is insufficient evidence to draw any conclusions.

Certainty of the evidence

There is some moderate-certainty evidence that midazolam administered in a drink of juice is effective.



Cochrane Database of Systematic Reviews | Review - Intervention

[New search](#) [Conclusions changed](#)

Sedation of children undergoing dental treatment

✉ Paul F Ashley, Mohsin Chaudhary, Liege Lourenço-Matharu Authors' declarations of interest

Version published: 17 December 2018 Version history

<https://doi.org/10.1002/14651858.CD003877.pub5>

最新更新的结果和以往版本等信息

Version history

Published	Title	Stage	Authors	Version
2018 Dec 17 Show revisions	Sedation of children undergoing dental treatment	Review	Paul F Ashley, Mohsin Chaudhary, Liege Lourenço-Matharu	https://doi.org/10.1002/14651858.CD003877.pub5
2012 Mar 14 Show revisions	Sedation of children undergoing dental treatment	Review	Liege Lourenço-Matharu, Paul F Ashley, Susan Furness	https://doi.org/10.1002/14651858.CD003877.pub4
2006 Jan 25 Show revisions	Sedation of anxious children undergoing dental treatment	Review	Liege Matharu, Paul F Ashley	https://doi.org/10.1002/14651858.CD003877.pub3
2005 Apr 20 Show revisions	Sedation of anxious children undergoing dental treatment	Review	Liege Matharu, Paul F Ashley	https://doi.org/10.1002/14651858.CD003877.pub2
2002 Jul 22 Show revisions	Sedation of anxious children undergoing dental treatment	Protocol	Liege Matharu, Paul F Ashley	https://doi.org/10.1002/14651858.CD003877



03 | Cochrane Protocols

Filter your results

Date i

Publication date

The last 3 months 43

The last 6 months 101

The last 9 months 158

The last year 215

The last 2 years 527

Custom Range:

to

Status i

Major change 21

Review Type i

Cochrane Reviews 9006 **Cochrane Protocols 2454** Trials 1994845 Editorials 148 Special Collections 35 Clinical Answers 3379 More ▾

2454 Cochrane Protocols matching * in All Text

Cochrane Database of Systematic Reviews
Issue 4 of 12, April 2023

Select all (2454) Export selected citation(s) Show all previews

Order by Results per page

1 **Disease-modifying pharmacological treatments for amyotrophic lateral sclerosis/motor neuron disease: an overview of intervention reviews**
Rubika Balendra, Richard W Orrell, Neil Pearce, Ammar Al-Chalabi
Overview Protocol 30 March 2023 Free access
[Show preview](#) ▾

2 **Interventions for orthostatic hypotension in Parkinson's disease: a systematic review and network meta-analysis**
Kunshan Li, Luyi Wu, Xuejun Cui, Wei Zhang, Jun Ji, Yiwen Wu, Zhaoqin Wang, Huirong Liu, Huangan Wu, Lu Zhu
Intervention Protocol 29 March 2023 Free access
[Show preview](#) ▾

3 **Incremental versus standard dialysis for people with kidney failure**
Dharshana Sabanayagam^a, Katharine Hegerty^a, Eric H Au, Nadim A Beruni, Tess E Cooper, Carmel M Hawley, Martin



03 | Trials

Cochrane Reviews ▾ Trials ▾ Clinical Answers ▾ About ▾ Help ▾ About Cochrane ▾

Search Trials (CENTRAL)

About CENTRAL

Cochrane Reviews 8915 Cochrane Protocols 2443 Trials 1929215 Editorials 145 Special Collections 35 Clinical Answers 3274 More ▾

Filter your results

Year i

Year first published

2022	65519
2021	110345
2020	111950
2019	109558
2018	103984

Custom Range:
yyyy to yyyy

Date i

Date added to CENTRAL trials database

The last 3 months	47558
The last 6 months	75182
The last 9 months	105702
The last year	137476
The last 2 years	269017

▲ For COVID-19 related studies, please also see the [Cochrane COVID-19 Study Register](#) ↗

1929216 Trials matching * in All Text

Cochrane Central Register of Controlled Trials
Issue 10 of 12, October 2022

Select all (1929216)

Order by Year first published - New to Old

1 **PHYSICAL STRENGTH TRAINING METHODS IN BADMINTON TEACHING AND TRAINING**
L Zhang
Revista brasileira de medicina do esporte, 2023, 29 | added to CENTRAL: 30 September 2022 | 2022 Issue 9

2 **COORDINATED TRAINING AND PHYSIOLOGICAL INDICES IN YOUNG TENNIS PLAYERS**
LYubing
Revista brasileira de medicina do esporte, 2023, 29 | added to CENTRAL: 30 September 2022 | 2022 Issue 9

3 **IMPACTS OF AEROBIC EXERCISE ON THE OBESITY OF ADOLESCENTS AND THEIR LIPID METABOLISM**
J Haiying, Y Lirong
Revista brasileira de medicina do esporte, 2023, 29 | added to CENTRAL: 30 September 2022 | 2022 Issue 9



Source



PubMed	765109
Embase	677803
CT.gov	232254
ICTRP	199893
CINAHL.....	25217

Comparison between Air Q and intubating laryngeal mask airway as intubation conduits in patients with simulated fixed cervical spine: a prospective observational study

R Bala, J Basumatary, P Bansal

Medical gas research, 2023, 13(1), 10-14 | added to CENTRAL: 31 August 2022 | 2022 Issue 8

PubMed

The efficacy of acupressure in managing opioid-induced constipation in patients with cancer: a single-blind randomized controlled trial

D Yildirim, V Kocatepe, GK Talu

Supportive care in cancer, 2022, 30(6), 5201-5210 | added to CENTRAL: 31 March 2022 | 2022 Issue 03

PubMed

Embase

ClinicalTrials.gov 美国 临床试验信息的数据库 <https://www.clinicaltrials.gov/>

ICTRP 世界卫生组织 国际试验注册平台 <http://www.who.int/ictrp/en/>

CINAHL 护理学和专职医疗保健领域文献索引



Cochrane Central Register of Controlled Trials

Intranasal Fentanyl Combined with Oral Midazolam for Pediatric Dental Sedation: a Controlled Randomized Blinded Crossover Clinical Trial

Alhaijari RI, AlSarheed M, Sheta SA, Aldhubaiban M

Pediatric dentistry, 2022, 44(4), 255-260 | added to CENTRAL: 30 September 2022 | 2022 Issue 9

Sourced from: PubMed, Embase | Links: [PubMed](#)

Abstract

Purpose: The purpose of this study was to compare the effectiveness of intranasal fentanyl combined with oral midazolam to oral midazolam alone in pediatric dental patients. **Methods:** Thirty-two uncooperative healthy children aged three to six years old, who met the inclusion criteria, were randomly assigned to receive oral midazolam (0.7 mg/kg) with either intranasal fentanyl (one µg/kg) or intranasal placebo (saline). A controlled, randomized, double-blinded, crossover clinical trial design was followed so that each child received both regimens. Data collected included the onset of sedation, working time, sedation and behavior assessment, and occurrence of side effects. **Results:** The onset of sedation time was not statistically different between the two groups ($P=0.62$), while the median working time of the midazolam/fentanyl sedation was significantly longer than the midazolam sedation ($P<0.001$). Sedation scores were significantly better with the midazolam/fentanyl sedation regimen at separation from parents ($P=0.032$), local anesthesia administration ($P=0.018$), rubber dam application ($P=0.035$), after five minutes of dental treatment ($P=0.035$), after 10 minutes ($P=0.039$), after 15 minutes ($P=0.012$), and after 20 minutes ($P=0.038$). Behavior scores were significantly better with the midazolam/fentanyl sedation only at local anesthesia administration ($P=0.021$), rubber dam placement ($P=0.004$), and after five minutes of dental treatment ($P=0.049$). Minor side effects occurred in 12.5 percent of sedation procedures and were not significantly associated with either of the two groups ($P=0.70$). **Conclusion:** The combination of oral midazolam with intranasal fentanyl sedation, when compared to oral midazolam as a single agent, significantly improved sedation and behavior during local anesthesia and operative dentistry for healthy three- to six-year-old children in addition to prolonged sedation working time.

Information

Database:	Cochrane Central Register of Controlled Trials (CENTRAL)
Date Added to CENTRAL:	30 September 2022
Issue Added to CENTRAL:	2022 Issue 9
Source:	Pediatric dentistry
Year of Publication:	2022
Volume:	44
Issue:	4
Pages:	255-260
Accession Number:	PUBMED 35999678; EMBASE 638829289
Language:	English
Publication Type:	Journal article
ID Number:	CN-02454040



Cochrane Central Register of Controlled Trials

Effectiveness of school dental screening on dental visits and untreated caries among primary schoolchildren: study protocol for a cluster randomised controlled trial

Alayadi H, Sabbah W, Bernabe E

Trials. 2018; 19(1) (no pagination) | added to CENTRAL: 31 May 2018 | 2018 Issue 5

<https://doi.org/10.1186/s13063-018-2619-2> ↗

Sourced from: Embase



BMC Part of Springer Nature

Search Explore journals Get published About BMC Login

Trials

Home About Articles In Review Submission Guidelines News COVID-19

Study protocol | Open Access | Published: 13 April 2018

Effectiveness of school dental screening on dental visits and untreated caries among primary schoolchildren: study protocol for a cluster randomised controlled trial

Haya Alayadi, Wael Sabbah & Eduardo Bernabé

Trials 19, Article number: 224 (2018) | [Cite this article](#)

1986 Accesses | 3 Citations | [Metrics](#)

Abstract

Background

Dental caries is one of the most common diseases affecting children in Saudi Arabia despite

[Download PDF](#)

下载全文

[Sections](#) [Figures](#) [References](#)

[Abstract](#)
[Background](#)
[Methods](#)
[Discussion](#)
[Trial status](#)
[Abbreviations](#)
[References](#)
[Acknowledgements](#)
[Author information](#)



Cochrane Central Register of Controlled Trials

Essential Oils Mouthrinse and Dental Floss, Comparison of Efficacy on Interproximal Gingivitis and Dental Plaque Accumulation

NCT01236963

<https://clinicaltrials.gov/show/NCT01236963>, 2010 | added to CENTRAL: 31 May 2018 | 2018 Issue 5

Sourced from: CT.gov | Links: [ClinicalTrials.gov](https://clinicaltrials.gov/show/NCT01236963) ↗



Essential Oils Mouthrinse and Dental Floss, Comparison of Efficacy on Interproximal Gingivitis and Dental Plaque Accumulation



The safety and scientific validity of this study is the responsibility of the study sponsor and investigators. Listing a study does not mean it has been evaluated by the U.S. Federal Government. Read our [disclaimer](#) for details.

ClinicalTrials.gov Identifier: NCT01236963

Recruitment Status : Completed

First Posted : November 9, 2010

Last Update Posted : November 10, 2010

Sponsor:

University of Lisbon

Collaborator:

Instituto Plaget

Information provided by:

University of Lisbon

[Study Details](#)

[Tabular View](#)

[No Results Posted](#)

[Disclaimer](#)

[How to Read a Study Record](#)

Study Description

**More Information**

Go to ▾

Publications:

Barnett ML. The rationale for the daily use of an antimicrobial mouthrinse. *J Am Dent Assoc.* 2006 Nov;137 Suppl:16S-21S. Review. Erratum in: *J Am Dent Assoc.* 2008 Mar;139(3):252.

Bauroth K, Charles CH, Mankodi SM, Simmons K, Zhao Q, Kumar LD. The efficacy of an essential oil antiseptic mouthrinse vs. dental floss in controlling interproximal gingivitis: a comparative study. *J Am Dent Assoc.* 2003 Mar;134(3):359-65. Erratum in: *J Am Dent Assoc.* 2003 May;134(5):558.

Gordon JM, Lamster IB, Seiger MC. Efficacy of Listerine antiseptic in inhibiting the development of plaque and gingivitis. *J Clin Periodontol.* 1985 Sep;12(8):697-704.

Sharma N, Charles CH, Lynch MC, Qaqish J, McGuire JA, Galustians JG, Kumar LD. Adjunctive benefit of an essential oil-containing mouthrinse in reducing plaque and gingivitis in patients who brush and floss regularly: a six-month study. *J Am Dent Assoc.* 2004 Apr;135(4):496-504.

Sharma NC, Charles CH, Qaqish JG, Galustians HJ, Zhao Q, Kumar LD. Comparative effectiveness of an essential oil mouthrinse and dental floss in controlling interproximal gingivitis and plaque. *Am J Dent.* 2002 Dec;15(6):351-5.

Responsible Party: Henrique Soares Luis, Faculdade de Medicina Dentária da Universidade de Lisboa

ClinicalTrials.gov Identifier: [NCT01236963](#) [History of Changes](#)

Other Study ID Numbers: 9/2006b

First Posted: November 9, 2010 [Key Record Dates](#)

Last Update Posted: November 10, 2010

Last Verified: July 2010



Cochrane Central Register of Controlled Trials

A behavioural intervention to reduce the inequalities in the uptake of routine dental care: main trial

ISRCTN84666712

<https://trialsearch.who.int/Trial2.aspx?TrialID=ISRCTN84666712>, 2021 | added to CENTRAL: 31 May 2021 | 2021 Issue 05

Sourced from: ICTRP | Links: [WHO ICTRP](#) 



03 | Trials

 World Health Organization
 International Clinical Trials Registry Platform Search Portal

Home Advanced Search List By ▶ Search Tips UTN ▶ ICTRP website ▶ REGTRAC Contact us

Main

Note: This record shows only 22 elements of the WHO Trial Registration Data Set. To view changes that have been made to the source record, or for additional information about this trial, click on the URL below to go to the source record in the primary register.

Register: ISRCTN
Last refreshed on: 5 August 2022
Main ID: ISRCTN84666712

Date of registration: 12/04/2021
Prospective Registration: Yes
Primary sponsor: University of Liverpool
Public title: A behavioural intervention to reduce the inequalities in the uptake of routine dental care: main trial
Scientific title: InteRvention to rEduce inequaliTies in the Uptake of Routine deNtal care - RETURN main trial
Date of first enrolment: 18/08/2021
Target sample size: 1180
Recruitment status: Ongoing
URL: <https://www.isrctn.com/ISRCTN84666712>
Study type: Interventional
Study design: Randomized; Both; Design type: Prevention, Process of Care, Psychological & Behavioural, Qualitative (Treatment)
Phase: Not Applicable

Countries of recruitment

England	United Kingdom
---------	----------------

Contacts

Name:	Name:	Rebecca Harris
Address:	Address:	Department of Public Health, Policy & Systems Room 124, 1st Floor, Block B, Waterhouse Building 1-5 Brownlow Street L69 3GL Liverpool United Kingdom
Telephone:	Telephone:	+44 (0)151 795 5334
Email:	Email:	harrisrv@liverpool.ac.uk
Affiliation:	Affiliation:	



Pub**Med**.gov

ISRCTN84666712 X

Search

Advanced Create alert Create RSS User Guide

Found 1 result for ISRCTN84666712

Save Email Send to Display options

> Trials. 2022 Jun 7;23(1):475. doi: 10.1186/s13063-022-06418-2.

Behavioural intervention to promote the uptake of planned care in urgent dental care attenders: study protocol for the RETURN randomised controlled trial

R Harris ¹, V Lowers ², C Hulme ³, G Burnside ⁴, A Best ⁵, J E Clarkson ⁶, R Cooke ⁷, M Van Der Zande ², R Maitland ² ⁵

Affiliations + expand

PMID: 35672830 PMCID: PMC9172193 DOI: 10.1186/s13063-022-06418-2

Free PMC article

FULL TEXT LINKS

Read free full text at BMC

FREE Full text PMC

←全文链接

ACTIONS

“ Cite

★ Favorites

SHARE



Cochrane Central Register of Controlled Trials

The Effect of Continuing Education on Dental Hygienists' Knowledge, Attitudes, and Practices Regarding Human Papillomavirus Related Oropharyngeal Cancer

McLeroy TM, Gurenlian J, Rogo EJ

Journal of dental hygiene, 2020, 94(3), 16-28 | added to CENTRAL: 3

Sourced from CINAHL

Information

Database:	Cochrane Central Register of Controlled Trials (CENTRAL)
Date Added to CENTRAL:	30 November 2020
Issue Added to CENTRAL:	2020 Issue 11
Source:	Journal of dental hygiene
Year of Publication:	2020
Volume:	94
Issue:	3
Pages:	16-28
Accession Number:	CINAHL 144241053
Language:	English
Publication Type:	Journal article
ID Number:	CN-02198900
Cochrane Group Code:	SR-ORAL



搜资源库: 搜索

语种: 中文 外文

首字母: A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

文献类型: 期刊 图书 学位论文 会议论文/科技报告 循证医学 事实数据 多媒体 考试/培训/课件 光盘数据库 其他

揭示层次: 全文 文摘索引 引文信息

展开更多

3 个 中文数据库 外文数据库

1 CINAHL Plus with Full Text (EBSCO平台)
2 CINAHL 《卫生保健及护理学数据库》1982-2000
3 EBSCO

A large red arrow points from the search input field "CINAHL" at the top left down to the list of results below.



新检索 出版物 CINAHL 主题词表 循证护理说明 快速教学 更多 ▾



正在检索: CINAHL Plus with Full Text | [选择数据库](#)

144241053

AN 入藏编号 ▾

搜索

AND ▾

选择一个字段(可选) ▾

[清除](#) ?

AND ▾

选择一个字段(可选) ▾

+ -

[基本检索](#) [高级检索](#) [搜索历史记录](#)



详细记录

PDF 全文

参考文献 (53)

结果列表 精确搜索 < 1 共 1 >

The Effect of Continuing Education on Dental Hygienists' Knowledge, Attitudes, and Practices Regarding Human Papillomavirus Related Oropharyngeal Cancer.

作者: [McLeroy, Toni M.](#); ¹[Gurenlian, JoAnn](#); ²[Rogo, Ellen J.](#)³

单位: ¹CRDH, MS is an associate professor, Dental Hygiene Department, State College of Florida, Manatee-Sarasota, FL

²RDH, PhD, AFAAOM, is a professor and the Graduate Program Director, Dental Hygiene Department, Idaho State University, Pocatello

³RDH, PhD is a professor, Dental Hygiene Department, Idaho State University, Pocatello, ID

来源: [Journal of Dental Hygiene \(J DENT HYG\)](#), Jun2020; 94(3): 16-28. (13p)

出版物类型: Article - research, tables/charts, randomized controlled trial

语言: English

主要主题: [Dental Hygienists -- Psychosocial Factors](#)

[Education, Continuing](#)

[Dental Hygienists -- Education -- Florida](#)

[Professional Knowledge](#)

[Dental Hygienist Attitudes](#)

[Dentistry](#)

[Papillomavirus Infections -- Prevention and Control](#)

[Oropharyngeal Neoplasms -- Prevention and Control](#)

次要主题: [Human](#); [Randomized Controlled Trials](#); [Random Sample](#); [Pretest-Posttest Design](#); [Experimental Studies](#); [Florida](#); [Questionnaires](#); [Descriptive Statistics](#); [Data Analysis Software](#); [Analysis of Variance](#); [Power Analysis](#); [Random Assignment](#); [Summated Rating Scaling](#); [Content Validity](#); [Course Content](#); [Adult](#); [Middle Age](#); [Aged](#)

图像



[转到全部 7 图像 >>](#)



Clinical Answers ▾ About ▾ Help ▾ About Cochrane ▾

Browse Clinical Answers

About Clinical Answers

Cochrane Reviews 8915 Cochrane Protocols 2443 Trials 1929216 Editorials 145 Special Collections 35 Clinical Answers 3276 More ▾

3276 Clinical Answers matching * in All Text

Cochrane Clinical Answers

Select all (3276) Export selected citation(s)

Order by Publish Date - New To Old ▾ Results per page 25 ▾

1 What are the effects of antiplatelet agents for people in the chronic phase of deep venous thrombosis (DVT)?
Agustín Ciapponi, Amin Sharifan
11 October 2022

2 What are the effects of antiplatelet agents for people in the acute phase of deep venous thrombosis (DVT)?
Agustín Ciapponi, Amin Sharifan
11 October 2022



Question:

Is there randomized controlled trial evidence to support the use of fluoride gels for preventing dental caries?

Mojtaba Dorri

25 July 2016

<https://doi.org/10.1002/cca.876> ↗

Clinical Answer:

Moderate-quality evidence indicates that children or adolescents who have fluoride gel applied to their teeth, either by professionals or self-applied, are less likely to develop caries increment than those who have had no treatment or placebo. The mean reduction in caries on tooth surfaces was on average 28% per and on whole tooth was on average 32%. One RCT with 280 participants suggested that fluoride gel may reduce development of new caries lesions on the surfaces of permanent teeth.

Low-quality evidence suggests that fluoride gel can reduce caries increment on the surfaces of primary teeth (20 per 100 people, 95% CI 1% to 38%).

Adverse events evidence was very low quality. There was no clear difference between groups in nausea, gagging or vomiting.



Comparisons

1. Fluoride gel versus placebo or no treatment

Expand All »

- › OUTCOME 1.1 Changes in caries on the surfaces of permanent teeth (D(M)FS increment nearest to 3 years)
- › OUTCOME 1.2 Changes in caries on whole teeth of permanent dentition D(M)FT increment nearest to 3 years
- › OUTCOME 1.3 Changes in caries on the surfaces of primary teeth (d(e/m)fs increment nearest to 3 years)
- › OUTCOME 1.4 Development of new caries
- › OUTCOME 1.5 Withdrawals
- › OUTCOME 1.6 Nausea or vomiting
- › OUTCOME 1.7 Mucosal irritation/allergic reaction



03 | Clinical Answers

▼ OUTCOME 1.6 Nausea or vomiting

Narrative result

Two RCTs with 490 participants found no statistically significant difference between groups.[6]

Quality of the evidence

The reviewers performed a GRADE assessment of the quality of evidence for this outcome at this time point and stated that the evidence was very low quality. See Summary of findings from Cochrane review ↗

Relative effect or mean difference

There was no statistically significant difference between groups (risk difference 1%, 95% CI -1% to 2%).




Figure 5

Forest plot from Cochrane Review

Open in figure viewer

Reference

Marinho VCC, Worthington HV, Walsh T, Chong LY. Fluoride gels for preventing dental caries in children and adolescents.

Cochrane Database of Systematic Reviews 2015, Issue 6. Art. No.: CD002280. DOI: 10.1002/14651858.CD002280.pub2. [Review search date: November 2014]



03 | Clinical Answers

▼ Population, Intervention, Comparator

Population

Children and adolescents (mean age 12 (range 2 to 15) years) attending school or school clinics. Decayed, missing and filled surfaces (D(M)FS) at baseline ranged from 0 to 12.2. Of the 27 trials 11 reported exposure of at least some participants to other fluoride sources (water, salt or toothpaste); exposure was low or none in four trials and unclear in the remaining trials

Intervention

Fluoride gel applied by professionals (17 studies), or self-applied with supervision by dental (4 studies) or non-dental (7 studies) personnel; where reported, using a tray (18 trials) or a brush (5 studies). Different fluoride gels were used: acidulated phosphate fluoride (21 studies), sodium fluoride (7 studies), amine fluoride (4 studies) and stannous fluoride (1 study); some trials had more than one intervention arm. The application frequency ranged from once to 140 times a year (most commonly ≤4 times) and application times ranged from 2 to 10 minutes. Study duration ranged from 1 to 4 years

Comparator

Placebo (17 studies) or no treatment (10 studies)



<https://www.wiley.com/network/cochanelibrarytraining/how-to-apply-cochrane-clinical-answers-in-working-practice>



WILEY

How to apply Cochrane Clinical Answers in working practice?

Trusted evidence.
Informed decisions.
Better health.

Created by:
Karen Pettersen
Sr. Cochrane Editor, Wiley
Sera Tort
Clinical Editor, Cochrane



WILEY

Agenda

- What is a Cochrane Clinical Answer and how they can help?
- How the CCA format helps with accessing data quickly and decision making in a clinical scenario



03 | 检索

Access provided by: Peking Univ English English Sign In

Title Abstract Keyword

Browse Advanced search

Trusted evidence.
Informed decisions.
Better health.

Cochrane Reviews ▾ Trials ▾ Clinical Answers ▾ About ▾ Help ▾ About Cochrane ▾




Laser therapy for treating scars
Read the Review



Sexual abuse interventions
Read the Review



Water for wound cleansing
Read the Review





03 | 检索

Access provided by: Peking Univ English English Sign In

Cochrane Library
Trusted evidence.
Informed decisions.
Better health.

Cochrane Reviews ▾ Trials ▾ Clinical Answers ▾ About ▾ Help ▾ About Cochrane ▶

Advanced Search

Search Search manager Medical terms (MeSH) PICO search

Save search View saved searches Search help

Did you know you can now select fields from Search manager using the **S** button (next to the search box)?
Search manager lets you add unlimited search lines, view results per line and access the MeSH browser using the new **MeSH** button.

Title Abstract Keyword ▾ Type a search term

 Search limits Send to search manager Run search

Clear all



例：检索“儿童龋齿”相关的文献

一个词的完整检索需要完成其主题词和尽可能完整全面的自由词或同义词的检索，两个步骤的关系是OR。

主题词 OR 自由词 OR 同义词



03 | 检索--“儿童龋齿”

主题词检索

Search Search manager **Medical terms (MeSH)** PICO search

View saved searches ? Search help

Dental Caries Select subheadings / qualifiers Look up Clear

Definition
Dental Caries - Localized destruction of the tooth surface initiated by decalcification of the enamel followed by enzymatic lysis of organic structures and leading to cavity formation. If left unchecked, the cavity may penetrate the enamel and dentin and reach the pulp.

Thesaurus Matches

Exact Term Match

Dental Caries
Synonyms: Spot, Dental White; Spots, Dental White; White Spot, Dental; Dental White Spot; White Spots, Dental; Dental White Spots; Dentins, Carious; Dentin, Carious; Carious Dentin; Carious Dentins; Carious Lesions; Caries, Dental; Lesions, Carious; Carious Lesion; Dental Decay; Lesion, Carious; Decay, Dental

Phrase Matches

Dental Caries Activity Tests
Synonyms:
Dental Caries Susceptibility
Synonyms: Resistance, Dental Caries; Dental Caries Resistance; Susceptibility, Dental Caries

MeSH Trees

MeSH term - **Dental Caries**
 Explode all trees
 Single MeSH term (unexploded)

 Explode selected trees Select

Tree number 1

Stomatognathic Diseases [+7]
Tooth Diseases [+22]
Tooth Demineralization [+1]
Dental Caries [+2]
Dental Fissures
Root Caries

Search Results
There are 2923 results for your search on
- MeSH descriptor: Dental Caries
- Explode all trees

Add to search manager

Trials	2873
Cochrane Reviews	50

Save search View results



03 | 检索--“儿童龋齿”

Advanced Search

Search Search manager Medical terms (MeSH) PICO search

Save this search View/Share saved searches ? Search help

+ - + #1 MeSH descriptor: [Dental Caries] explode all trees MeSH 2923

- + #2 Type a search term or use the S or MeSH buttons to compose S MeSH Limits N/A

Clear all Highlight orphan lines

Save this search View/Share saved searches ? Search help

Print search history



Advanced Search

自由词同义词检索

Search

Search manager

Medical terms (MeSH)

PICO search

Save search

View saved searches

Search help

Did you know you can now select fields from Search manager using the button (next to the search box)?

Search manager lets you add unlimited search lines, view results per line and access the MeSH browser using the new button.

Title Abstract Keyword ▾

((tooth OR teeth) AND deminerali*)



Search limits

Send to search manager

Run search

Clear all



03 | 检索--“儿童龋齿”

Advanced Search

[Search](#)[Search manager](#)[Medical terms \(MeSH\)](#)[PICO search](#)[Save this search](#)[View/Share saved searches](#)[Search help](#)[Print search history](#)

#1

MeSH descriptor: [Dental Caries] explode all trees

MeSH ▾

2923



#2

((tooth OR teeth) AND deminerali*:ti,ab,kw)

S ▾

Limits

891

(Word variations have been searched)



#3

Type a search term or use the S or MeSH buttons to compose

S ▾

MeSH ▾

Limits

N/A

[Clear all](#) Highlight orphan lines[Save this search](#)[View/Share saved searches](#)[Search help](#)[Print search history](#)



03 | 检索--“儿童龋齿”

高级检索允许检索者建立更为复杂的检索式，该模式能对每一步检索结果进行储存，赋予检索结果检索序号，并能通过逻辑运算符进行匹配。

-	+	#1	MeSH descriptor: [Dental Caries] explode all trees	MeSH ▾	2923
-	+	#2	((tooth OR teeth) AND deminerali*):ti,ab,kw	Limits	891
-	+	#3	((tooth OR teeth OR dental) AND lesion*):ti,ab,kw	Limits	3745
-	+	#4	((tooth OR teeth OR dental) AND cavit*):ti,ab,kw	Limits	4277
-	+	#5	(caries OR carious):ti,ab,kw	Limits	8498
-	+	#6	((tooth OR teeth OR dental OR enamel OR dentin) AND decay):ti,ab,kw	Limits	574
-	+	#7	#1 OR #2 OR #3 OR #4 OR #5 OR #6	Limits	12570



03 | 检索--“儿童龋齿”

-	+	#1	MeSH descriptor: [Dental Caries] explode all trees	MeSH ▼	2923
-	+	#2	((tooth OR teeth) AND deminerali*):ti,ab,kw	Limits	891
-	+	#3	((tooth OR teeth OR dental) AND lesion*):ti,ab,kw	Limits	3745
-	+	#4	((tooth OR teeth OR dental) AND cavit*):ti,ab,kw	Limits	4277
-	+	#5	(caries OR carious):ti,ab,kw	Limits	8498
-	+	#6	((tooth OR teeth OR dental OR enamel OR dentin) AND decay):ti,ab,kw	Limits	574
-	+	#7	#1 OR #2 OR #3 OR #4 OR #5 OR #6	Limits	12570
-	+	#8	MeSH descriptor: [Child] explode all trees	MeSH ▼	62000
-	+	#9	(child* OR adolescen* OR toddler* OR baby OR babies OR teenager*):ti,ab,kw	Limits	283594
-	+	#10	#8 OR #9	Limits	283594
-	+	#11	#7 AND #10	Limits	4539



03 | 检索--“儿童龋齿”

-	+	#1	MeSH descriptor: [Dental Caries] explode all trees	MeSH ▾	2923		
-	+	#2	((tooth OR teeth) AND deminerali*):ti,ab,kw	Limits	891		
-	+	#3	((tooth OR teeth OR dental) AND lesion*):ti,ab,kw	Limits	3745		
-	+	#4	((tooth OR teeth OR dental) AND cavit*):ti,ab,kw	Limits	4277		
-	+	#5	(caries OR carious):ti,ab,kw	Limits	8498		
-	+	#6	((tooth OR teeth OR dental OR enamel OR dentin) AND decay):ti,ab,kw	Limits	574		
-	+	#7	#1 OR #2 OR #3 OR #4 OR #5 OR #6	Limits	12570		
-	+	#8	MeSH descriptor: [Child] explode all trees	MeSH ▾	62000		
-	+	#9	(child* OR adolescen* OR toddler* OR baby OR babies OR teenager*):ti,ab,kw	Limits	283594		
-	+	#10	#8 OR #9	Limits	283594		
-	+	#11	#7 AND #10	Limits	4539		
-	+	#12	Type a search term or use the S or MeSH buttons to compose	S ▾	MeSH ▾	Limits	N/A



03 | 检索--“儿童龋齿”

Save this search ▾ View/Share saved searches ? Search help

View fewer lines Print search history

+ #1 MeSH descriptor: [Dental Caries] explode all trees MeSH 2923

- + #2 ((tooth OR teeth) AND deminerali*):ti,ab,kw Limits 891

- + #3 ((tooth OR teeth OR dental) AND lesion*):ti,ab,kw Limits 3745

- + #4 ((tooth OR teeth OR dental) AND cavit*):ti,ab,kw Limits 4277

- + #5 (caries OR carious):ti,ab,kw Limits 8498

- + #6 ((tooth OR teeth OR dental OR enamel OR dentin) AND decay):ti,ab,kw Limits 574

- + #7 #1 OR #2 OR #3 OR #4 OR #5 OR #6 Limits 12570

- + #8 MeSH descriptor: [Child] explode all trees MeSH 62000

- + #9 (child* OR adolescen* OR toddler* OR baby OR babies OR teenager*):ti,ab,kw Limits 283595

- + #10 #8 OR #9 Limits 283595

- + #11 #7 AND #10 Limits 4539

- + #12 Type a search term or use the S or MeSH buttons to compose S ▾ MeSH ▾ Limits N/A

Highlight orphan lines

Clear all

保存检索策略 → Save this search ▾ Save as

View/Share saved searches ? Search help

View fewer lines Print search history





03 | 检索--“儿童龋齿”

Advanced Search

查看保存的检索策略

Search Search manager Medical terms (MeSH) PICO search

View/Share saved searches

+ - #1 MeSH descriptor: [Dental Caries] explode all trees MeSH ▾ 2923

Print search history

Saved searches

You have 1 saved search Order by date - Newest first ▾

1 儿童龋齿
备注
Last saved: 18/10/2022 10:53:55

e-mail alert Run + Add to search Share Export ✖ Delete



03 | 检索--“儿童龋齿”

- + #11 #7 AND #10 Limits 4539

- + #12 Type a search term or use the S or MeSH buttons to compose S▼ MeSH▼ Limits N/A

Clear all

Save this search View/Share saved searches ? Search help

View fewer lines Print search history

Filter your results

Date i

Publication date

The last 3 months 1

The last 6 months 1

The last 9 months 2

The last year 4

The last 2 years 15

Custom Range: to

Cochrane Reviews 76 **Cochrane Protocols 6** **Trials 4443** **Editorials 0** More ▾

76 Cochrane Reviews matching "#11 - #7 AND #10"

Cochrane Database of Systematic Reviews
Issue 10 of 12, October 2022

Select all (76) Export selected citation(s) Show all previews

Order by Relevancy Results per page 25 ▾

1 Micro-invasive interventions for managing proximal dental decay in primary and permanent teeth
Mojtaba Dorri, Stephen M Dunne, Tanya Walsh, Falk Schwendicke
Intervention Review 5 November 2015 Free access
Show PICOs ▾ Show preview ▾



03 | 结果导出

Cochrane Reviews 76 Cochrane Protocols 6 Trials 4443 Editorials 0 Special Collections 0 More ▾

76 Cochrane Reviews matching "#11 - #7 AND #10"

Cochrane Database of Systematic Reviews
Issue 10 of 12, October 2022

Deselect all (76) 1 [Export selected citation\(s\)](#) 2 [Show all reviews](#)

Order by [Relevancy](#) ▾ Results per page [25](#) ▾

1 Micro-invasive interventions for managing proximal dental decay in primary and permanent teeth
Mojtaba Dorri, Stephen M Dunne, Tanya Walsh, Falk Schwendicke
Intervention Review 5 November 2015 Free access
[Show PICOs](#) ▾ [Show preview](#) ▾

2 Sealants for preventing dental caries in primary teeth
Priyadarshini Ramamurthy, Avita Rath, Preena Sidhu, Bennete Fernandes, Sowmya Nettem, Patrick A Fee, Carlos Zaror, Tanya Walsh
Intervention Review 11 February 2022
[Show PICO](#) ▾ [Show preview](#) ▾

Export selected citation(s) X

76 citation(s) selected for download

RIS (EndNote) can be imported into Mendeley, RefWorks, Zotero, Sciwheel

Select the format you require from the list below [Export help](#)

Plain text RIS (EndNote) RIS (Reference Manager) RIS (ProCite) BibTeX CSV (Excel)

Preview of format 1

Provider: John Wiley & Sons, Ltd
Content: text/plain; charset="UTF-8"

TY - JOUR
AN - CD018431
AU - Dorri, M
AU - Dunne, SM
AU - Walsh, T
AU - Schwendicke, F

Include abstract 2

[Download](#)



03 | PICO检索

例：评估与单独刷牙相比，在接受固定正畸治疗的患者中，额外的牙齿清洁辅助工具在预防和控制龋齿和牙周病等方面的效果。

P人群：佩戴正畸矫治器
I干预：牙间清洁装置
C比较：对照组
O结局：龋齿、牙菌斑等

Advanced Search

Search Search manager Medical terms (MeSH) **PICO search** About ? Search help

Enter a search term and select a PICO vocabulary term from the dropdown

Orthodontic Appliance Wearer Population

Orthodontic Appliance Wearer

Orthodontic Appliance

Orthodontic Appliance Finding

Fractured Orthodontic Appliance

Advanced Search

Search Search manager Medical terms (MeSH) **PICO search** About ? Search help

Enter a search term and select a PICO vocabulary term from the dropdown

- Orthodontic Appliance Wearer Population

- AND Mechanical Interdental Cleaning Device Intervention

+

Comparison Outcome



03 | PICO检索

Cochrane Reviews
1

1 results matching 'Population "Orthodontic Appliance Wearer" AND Intervention "Toothbrushing"
18, October 2022

Select all (1) Export selected citation(s) Show all PICOS

Order By Relevancy ▾ Results per page 25 ▾

1 **Aids for mechanical cleaning of teeth with fixed braces**
HidePICOs ▾ **22 January 2018**

Population (5)	Intervention (2)	Comparison (1)	Outcome (3)
Infant <input type="checkbox"/>	Mechanical Interdent... <input type="checkbox"/>	Toothbrushing <input type="checkbox"/>	Periodontal Disease <input type="checkbox"/>
Adult <input type="checkbox"/>	Toothbrushing <input type="checkbox"/>		Dental Caries <input type="checkbox"/>
Aged (65+) <input type="checkbox"/>			Dental Plaque <input type="checkbox"/>
Child <input type="checkbox"/>			
Orthodontic Appliance... <input type="checkbox"/>			



03 | PICO检索

Cochrane Database of Systematic Reviews | Protocol - Intervention

Aids for mechanical cleaning of teeth with fixed braces

Hock Hoe Goh, Bridget Doubleday Authors' declarations of interest

Version published: 22 January 2018 Version history

<https://doi.org/10.1002/14651858.CD012931>

[Collapse all](#) [Expand all](#)

Abstract

This is a protocol for a Cochrane Review (Intervention). The objectives are as follows:

To evaluate the effects of additional aids to dental cleaning in patients undergoing fixed orthodontic treatment, compared with toothbrushing alone, for the prevention and control of:

1. dental plaque;
2. periodontal diseases (gingivitis and periodontitis);
3. white spot lesions (deminerbalisation); and
4. dental caries.

Background

Description of the condition

[Download PDF](#) [Cite this Protocol](#)

[Print](#) [Comment](#) [Share](#) [Follow](#)

Article has an altmetric score of 1

Contents

Abstract

Background

Objectives

Methods

Appendices

References

Related

[Cochrane Clinical Answers](#)
[Editorials](#)
[Podcasts](#)
[Special Collections](#)

About this Review

- [Information](#)
- [Authors](#)
- [Version history](#)
- [Related content](#)
- [Request permissions](#)

Appendices

Appendix 1. MEDLINE Ovid search strategy

1. exp Orthodontics/
2. (orthodontic\$ or bracket\$ or brace\$ or wire\$ or archwire\$).mp.
3. fix\$ adj5 appliance\$).mp.
4. or/1-3
5. exp Oral hygiene/
6. toothbrush\$.mp.
7. ((interdental or interspace or inter-dental or inter-space or orthodontic "single tufted" or specialised or spiral or bottle) adj3 brush\$).mp.
8. ("Water Pik" or "Flosser FL-110" or "water jet" or "jet clean\$" or "jet tip\$").mp.
9. (oral adj hygiene).mp.
10. ((teeth or tooth) and (interproximal or clean\$ or cleans\$)).mp.
11. or/5-10
12. 4 and 11

The above subject search will be linked with the highly sensitive search strategy designed by Cochrane for identifying randomised controlled trials and controlled clinical trials (as described in the *Cochrane Handbook for Systematic Reviews of Interventions* Version 5.1.0, Box 6.4.b. (Lefebvre 2011)).

1. randomized controlled trial.pt.
2. controlled clinical trial.pt.
3. randomized.ab.
4. placebo.ab.
5. drug therapy.fs.
6. randomly.ab.
7. trial.ab.
8. groups.ab.
9. or/1-8
10. exp animals/ not humans.sh.
11. 9 not 10

[Download PDF](#)

[Cite this Protocol](#)

[Print](#) [Comment](#) [Share](#) [Follow](#)

Article has an altmetric score of 1

Contents

Abstract

Background

Objectives

Methods

Appendices

References

Related

[Cochrane Clinical Answers](#)
[Editorials](#)
[Podcasts](#)
[Special Collections](#)

About this Review

- [Information](#)
- [Authors](#)
- [Version history](#)
- [Related content](#)
- [Request permissions](#)



03 | 检索--举例

例

Fluoride toothpastes of different concentrations for preventing dental caries.

预防龋齿的不同浓度含氟牙膏

Appendix 3. MEDLINE Ovid search strategy

1. Dental Caries.mp. or exp Dental Caries/
2. Dental Caries Activity Tests/
3. Dental Caries Susceptibility/
4. carie\$.mp.
5. DMF\$.mp.
6. exp Fluorides/
7. exp Fluorides, Topical/
8. FLUOR\$.mp.
9. AMF.mp.
10. AMINE F.mp.
11. SNF2.mp.
12. STANNOUS F.mp.
13. NAF.mp.
14. SODIUM F.mp.
16. SMFP.mp.
17. MFP.mp.
18. monofluor\$.mp.
19. exp Cariostatic Agents/
20. exp Dentifrices/
21. toothpaste\$.mp.
22. paste\$.mp.
23. dentrifice\$.mp.
24. 4 or 1 or 3 or 2 or 5
25. 6 or 11 or 7 or 9 or 17 or 12 or 15 or 14 or 8 or 18 or 19 or 16 or 10 or 13
26. 22 or 21 or 23 or 20
27. 25 and 24 and 26

Appendix 4. Embase Ovid search strategy

1. Dental caries/
2. (teeth adj5 (cavit\$ or caries or carious or decay\$ or lesion\$ or deminerali\$ or reminerali\$ or defect\$)).mp.
3. (tooth adj5 (cavit\$ or caries or carious or decay\$ or lesion\$ or deminerali\$ or reminerali\$ or defect\$)).mp.
4. (dental adj5 (cavit\$ or caries or carious or decay\$ or lesion\$ or deminerali\$ or reminerali\$ or defect\$)).mp.
5. (enamel adj5 (cavit\$ or caries or carious or decay\$ or lesion\$ or deminerali\$ or reminerali\$ or defect\$)).mp.
6. (dentin adj5 (cavit\$ or caries or carious or decay\$ or lesion\$ or deminerali\$ or reminerali\$ or defect\$)).mp.
7. (root adj5 (cavit\$ or caries or carious or decay\$ or lesion\$ or deminerali\$ or reminerali\$)).mp.
8. or/1-7
9. exp Fluoride/
10. (fluorid\$ or fluor or "PPM F" or PPMF or APF or NAF or "Sodium F" or "Amine F" or SNF2 or "Stannous F" or "phosphat\$ F" or "acidulat\$ F" or "phosphat\$ fluor\$" or fluorophosphat\$ or "amin\$ fluor\$" or "sodium fluor\$" or "stannous fluor\$" or SMFP or MFP or monofluor\$).mp.
11. 9 or 10
12. Tooth brushing/
13. Toothpaste/
14. toothpast\$.mp.
15. ((tooth or teeth) adj3 brush\$).mp.
16. or/12-15
17. 8 and 11 and 16



03 | 检索--举例

Appendix 3. MEDLINE Ovid search strategy

1. Dental Caries.mp. or exp Dental Caries/
2. Dental Caries Activity Tests/
3. Dental Caries Susceptibility/
4. carie\$.mp.
5. DMF\$.mp.

Appendix 3. MEDLINE Ovid search strategy

1. Dental Caries.mp. or exp Dental Caries/
2. Dental Caries Activity Tests/
3. Dental Caries Susceptibility/
4. carie\$.mp.
5. DMF\$.mp.

Ovid	PubMed
/: 主题词检索	[Mesh]
mp: 标题/摘要 \$: 无限截词符	[Title/Abstract] *



Ovid	PubMed
/: 主题词检索	[Mesh]
mp: 标题/摘要	[Title/Abstract]
\$: 无限截词符	*

Appendix 3. MEDLINE Ovid search strategy

1. Dental Caries.mp. or exp Dental Caries/
2. Dental Caries Activity Tests/
3. Dental Caries Susceptibility/
4. carie\$.mp.
5. DMF\$.mp.



#2	carie*[Title/Abstract] OR DMF[Title/Abstract]
#1	(("Dental Caries"[Mesh]) OR "Dental Caries Activity Tests"[Mesh]) OR "Dental Caries Susceptibility"[Mesh]



03 | 检索--举例

Appendix 3. MEDLINE Ovid search strategy

1. Dental Caries.mp. or exp Dental Caries/
2. Dental Caries Activity Tests/
3. Dental Caries Susceptibility/
4. carie\$.mp.
5. DMF\$.mp.
6. exp Fluorides/
7. exp Fluorides, Topical/
8. FLUOR\$.mp.
9. AMF.mp.
10. AMINE F.mp.
11. SNF2.mp.
12. STANNOUS F.mp.
13. NAF.mp.
14. SODIUM F.mp.
16. SMFP.mp.
17. MFP.mp.
18. monofluor\$.mp.
19. exp Cariostatic Agents/
20. exp Dentifrices/
21. toothpaste\$.mp.
22. paste\$.mp.
23. dentifice\$.mp.
24. 4 or 1 or 3 or 2 or 5
25. 6 or 11 or 7 or 9 or 17 or 12 or 15 or 14 or 8 or 18 or 19 or 16 or 10 or 13
26. 22 or 21 or 23 or 20
27. 25 and 24 and 26



History and Search Details

Download

Search	Actions	Details	Query	Results
#10	...	>	Search: #3 AND #6 AND #9 Sort by: Most Recent	2,358
#9	...	>	Search: #7 OR #8 Sort by: Most Recent	46,335
#8	...	>	Search: toothpaste*[Title/Abstract] OR paste*[Title/Abstract] OR dentifice*[Title/Abstract] Sort by: Most Recent	42,271
#7	...	>	Search: "Dentifrices"[Mesh] Sort by: Most Recent	7,304
#6	...	>	Search: # 4 OR #5 Sort by: Most Recent	883,625
#5	...	>	Search: FLUOR*[Title/Abstract] OR AMF[Title/Abstract] OR AMINE F[Title/Abstract] OR SNF2[Title/Abstract] OR STANNOUS F[Title/Abstract] OR NAF[Title/Abstract] OR SODIUM F[Title/Abstract] OR SMFP[Title/Abstract] OR MFP[Title/Abstract] OR monofluor*[Title/Abstract] Sort by: Most Recent	883,624
#4	...	>	Search: ("Fluorides"[Mesh] OR "Fluorides, Topical"[Mesh]) OR "Cariostatic Agents"[Mesh] Sort by: Most Recent	40,851
#3	...	>	Search: #1 OR #2 Sort by: Most Recent	75,871
#2	...	>	Search: carie*[Title/Abstract] OR DMF[Title/Abstract] Sort by: Most Recent	59,825
#1	...	>	Search: ((Dental Caries)[Mesh] OR "Dental Caries Activity Tests" [Mesh]) OR "Dental Caries Susceptibility"[Mesh] Sort by: Most Recent	50,735



03 | 检索--举例

Appendix 4. Embase Ovid search strategy

1. Dental caries/

9. exp Fluoride/

14. toothpast\$.mp.

15. ((tooth or teeth) adj3 brush\$).mp.

Ovid	Embase
/: 主题词检索	/exp
mp: 标题/摘要	:ab,ti
\$: 无限截词符	*
adjn: 邻近检索 【检索词之间最多允许插入 n-1个单词，词序可互换】	NEAR/n 【连接的两个检索词 之间相隔不超过n个单 词，无前后顺序要求】



03 | 检索--举例

Appendix 4. Embase Ovid search strategy

1. Dental caries/
2. (teeth adj5 (cavit\$ or caries or carious or decay\$ or lesion\$ or deminerali\$ or reminerali\$ or defect\$)).mp.
3. (tooth adj5 (cavit\$ or caries or carious or decay\$ or lesion\$ or deminerali\$ or reminerali\$ or defect\$)).mp.
4. (dental adj5 (cavit\$ or caries or carious or decay\$ or lesion\$ or deminerali\$ or reminerali\$ or defect\$)).mp.
5. (enamel adj5 (cavit\$ or caries or carious or decay\$ or lesion\$ or deminerali\$ or reminerali\$ or defect\$)).mp.
6. (dentin adj5 (cavit\$ or caries or carious or decay\$ or lesion\$ or deminerali\$ or reminerali\$ or defect\$)).mp.
7. (root adj5 (cavit\$ or caries or carious or decay\$ or lesion\$ or deminerali\$ or reminerali\$)).mp.
8. or/1-7
9. exp Fluoride/
10. (fluorid\$ or fluor or "PPM F" or PPMF or APF or NAF or "Sodium F" or "Amine F" or SNF2 or "Stannous F" or "phosphat\$ F" or "acidulat\$ F" or "phosphat\$ fluor\$" or fluorophosphat\$ or "amin\$ fluor\$" or "sodium fluor\$" or "stannous fluor\$" or SMFP or MFP or monofluor\$).mp.
11. 9 or 10
12. Tooth brushing/
13. Toothpaste/
14. toothpast\$.mp.
15. ((tooth or teeth) adj3 brush\$).mp.
16. or/12-15
17. 8 and 11 and 16



History		Save Delete Print view Export Email
Combine > using <input checked="" type="radio"/> And <input type="radio"/> Or		^ Collapse
<input type="checkbox"/> #17	#8 AND #11 AND #16	3,271
<input type="checkbox"/> #16	#12 OR #13 OR #14 OR #15	23,699
<input type="checkbox"/> #15	((tooth OR teeth) NEAR/2 brush\$):ab,ti	4,748
<input type="checkbox"/> #14	toothpast\$:ab,ti	5,624
<input type="checkbox"/> #13	'toothpaste'/exp	9,439
<input type="checkbox"/> #12	'tooth brushing'/exp	13,601
<input type="checkbox"/> #11	#9 OR #10	87,956
<input type="checkbox"/> #10	fluorid*:ab,ti OR fluor:ab,ti OR 'ppm f':ab,ti OR ppmf:ab,ti OR apf:ab,ti OR naf:ab,ti OR 'sodium f':ab,ti OR 'amine f':ab,ti OR snf2:ab,ti OR 'stannous f':ab,ti OR 'phosphat f':ab,ti OR 'acidulat f':ab,ti OR 'phosphat fluor':ab,ti OR fluorophosphat\$:ab,ti OR 'amin fluor':ab,ti OR 'sodium fluor':ab,ti OR 'stannous fluor':ab,ti OR smfp:ab,ti OR mfp:ab,ti OR monofluor\$:ab,ti	77,179
<input type="checkbox"/> #9	'fluoride'/exp	37,981
<input type="checkbox"/> #8	#1 OR #2 OR #3 OR #4 OR #5 OR #6 OR #7	84,448
<input type="checkbox"/> #7	(root NEAR/4 (cavit* OR caries OR carious OR decay* OR lesion* OR deminerali* OR reminerali*)):ab,ti	4,827
<input type="checkbox"/> #6	(dentin NEAR/4 (cavit* OR caries OR carious OR decay* OR lesion* OR deminerali* OR reminerali* OR defect*)):ab,ti	3,805
<input type="checkbox"/> #5	(enamel NEAR/4 (cavit* OR caries OR carious OR decay* OR lesion* OR deminerali* OR reminerali* OR defect*)):ab,ti	7,208
<input type="checkbox"/> #4	(dental NEAR/4 (cavit* OR caries OR carious OR decay* OR lesion* OR deminerali* OR reminerali* OR defect*)):ab,ti	28,543
<input type="checkbox"/> #3	(tooth NEAR/4 (cavit* OR caries OR carious OR decay* OR lesion* OR deminerali* OR reminerali* OR defect*)):ab,ti	7,357
<input type="checkbox"/> #2	(teeth NEAR/4 (cavit* OR caries OR carious OR decay* OR lesion* OR deminerali* OR reminerali* OR defect*)):ab,ti	12,112
<input type="checkbox"/> #1	'dental caries'/exp	62,691



03 | 检索--举例（PubMed检索式）

#10	#3 AND #6 AND #9
#9	#7 OR #8
#8	toothpaste*[Title/Abstract] OR paste*[Title/Abstract] OR dentrifice*[Title/Abstract]
#7	"Dentifrices" [Mesh]
#6	# 4 OR #5
#5	FLUOR*[Title/Abstract] OR AMF[Title/Abstract] OR AMINE F[Title/Abstract] OR SNF2[Title/Abstract] OR STANNOUS F[Title/Abstract] OR NAF[Title/Abstract] OR SODIUM F[Title/Abstract] OR SMFP[Title/Abstract] OR MFP[Title/Abstract] OR monofluor*[Title/Abstract]
#4	("Fluorides" [Mesh] OR "Fluorides, Topical" [Mesh]) OR "Cariostatic Agents" [Mesh]
#3	#1 OR #2
#2	carie*[Title/Abstract] OR DMF[Title/Abstract]
#1	((("Dental Caries" [Mesh]) OR "Dental Caries Activity Tests" [Mesh]) OR "Dental Caries Susceptibility" [Mesh])



03 | 检索--举例（Embase检索式）

#17	#8 AND #11 AND #16
#16	#12 OR #13 OR #14 OR #15
#15	((tooth OR teeth) NEAR/2 brush*):ab, ti
#14	toothpast*:ab, ti
#13	'toothpaste' /exp
#12	'tooth brushing' /exp
#11	#9 OR #10
#10	fluorid*:ab, ti OR fluor*:ab, ti OR 'ppm f':ab, ti OR ppmf:ab, ti OR apf:ab, ti OR naf:ab, ti OR 'sodium f':ab, ti OR 'amine f':ab, ti OR snf2:ab, ti OR 'stannous f':ab, ti OR 'phosphat* f':ab, ti OR 'acidulat* f':ab, ti OR 'phosphat* fluor*':ab, ti OR fluorphosphat*:ab, ti OR 'amin* fluor*':ab, ti OR 'sodium fluor*':ab, ti OR 'stannous fluor*':ab, ti OR smfp:ab, ti OR mfp:ab, ti OR monofluor*:ab, ti
#9	'fluoride' /exp
#8	#1 OR #2 OR #3 OR #4 OR #5 OR #6 OR #7
#7	(root NEAR/4 (cavit* OR caries OR carious OR decay* OR lesion* OR deminerali* OR reminerali*)):ab, ti
#6	(dentin NEAR/4 (cavit* OR caries OR carious OR decay* OR lesion* OR deminerali* OR reminerali* OR defect*)):ab, ti
#5	(enamel NEAR/4 (cavit* OR caries OR carious OR decay* OR lesion* OR deminerali* OR reminerali* OR defect*)):ab, ti
#4	(dental NEAR/4 (cavit* OR caries OR carious OR decay* OR lesion* OR deminerali* OR reminerali* OR defect*)):ab, ti
#3	(tooth NEAR/4 (cavit* OR caries OR carious OR decay* OR lesion* OR deminerali* OR reminerali* OR defect*)):ab, ti
#2	(teeth NEAR/4 (cavit* OR caries OR carious OR decay* OR lesion* OR deminerali* OR reminerali* OR defect*)):ab, ti
#1	'dental caries' /exp



2024
THE END

THANK YOU FOR YOUR WATCHING !